



#### BANGOR-Plate F 2053 E

"Standard" Vitreous China Bangor Lavatory with Oval Bowl and Back; supported on Square Vitreous China Pedestal. Fitted with N. P. Pop-up Waste with China Lever Handle, N. P. Low Down Compression Faucets with Four Arm China Handles, N. P. 3%-inch Wall Supply Pipes with China Index Stops and N. P. 114-inch "P" Trap without Vent.

#### DIMENSIONS

Actual

Actual

Size 20 x 24"	Width 20"	Length 24"			Bov %x1		of Back 6"
		PR	ICI	ES			
Size .							20 x 24"
Plate F 20	53 E, as descr	ibed .					\$51.00
Plate F 20	53, less all Fit	ttings					33.00

The Bangor Lavatory can also be furnished cut for Standing Waste, Combination or Chain and Plug.

# RANDALL-Plate F 2058 E

"Standard" Vitreous China Randall Lavatory with Oval Bowl and Back; supported on Vitreous China Leg. Fitted with N. P. Pop-up Waste with China Lever Handle, N. P. Low Down Compression China Index Handle Faucets, N. P. 3/8-inch Plain Wall Supply Pipes and N. P. 11/4-inch "P" Trap without Vent.

#### DIMENSIONS

		* *** ** ** **					
Size	Actual Width	Actual Length		Size of Bo			Height of Back
Size	WIGHT	Dengun		01 130	***		Of Date
20 x 24"	20"	24"	1	2½ x	17*		6"
		PRICI	ES				
Size .							20 x 24'
Plate F 205	8 E, as descr	ibed					\$39.00
	8, less all Fi						26.00
	DALL Lavato						Standing
Commence of the Commence of th	nbination or		Secretary and the second second				
	DALL Lavato			d als	o in	the	18 x 20
	Pop-up or						

Height





# MERCHANT-Plate F 2062 E

"Standard" Vitreous China MERCHANT Lavatory with Oval Bowl, Back and Side Arms; supported on Vitreous China Leg. Fitted with N. P. Waste Plug and Rubber Stopper, N. P. Low Down Compression China Index Handle Faucets, N. P. 3%-inch Plain Wall Supply Pipes and N. P. 1¼-inch "P" Trap without Vent.

#### DIMENSIONS

Actual Size Width		Act		o	Size f Boy		Height of Back	
21 x 24"	21"	24	· · · · · · · · · · · · · · · · · · ·	12	1/2 x	16"		7"
		PRI	CES					
Size .								21 x 24"
Plate F 206	32 E, as descri	ibed .		10.				\$40.25
Plate F 206	32, less all Fit	tings						32.00
The ME	RCHANT Lavat	tory can	also be	e furn	ished	cut	for	Standing

Waste, Combination or Pop-up Waste.

#### WOODMAN-Plate F 2068 E

"Standard" Vitreous China Woodman Lavatory with Oval Bowl and Back; supported on Vitreous China Leg. Fitted with N. P. Pop-up Waste with China Lever Handle, N. P. Low Down Compression China Index Handle Faucets, N. P. 3%-inch Plain Wall Supply Pipes and N. P. 11/4-inch "P" Trap without Vent.

# DIMENSIONS


Size 21 x 24"	Actual Width 21"	Len	ual gth 4"		Size of Bowl 12½ x 16"			Height of Back 7"
		PR	IC	ES				
Size .								21 x 24"
	8 E, as descri			V.				\$40.00
Plate F 206	8, less all Fit	tings						27.00

The Woodman Lavatory can also be furnished cut for Standing Waste, Combination or Chain and Plug.

[BLANK PAGE]













# Standard Sanitary Mfg. Co.

PITTSBURGH, PA.

# GREAT WESTERN POTTERIES


# "Standard" VITRITE China Combinations

POTTERIES:


KOKOMO, INDIANA

TIFFIN, OHIO


KOKOMO INDIANA POTTERY



# Standard Sanitary Mfg. Co. PITTSBURGH, PA. GREAT WESTERN POTTERIES KOKOMO, IND. TIFFIN, OHIO.



TIFFIN OHIO POTTERY





#### TRAFTON-Plate F 2000 G

"Standard" Vitreous China TRAFTON Lavatory with Oval Bowl; supported on Plain Vitreous China Pedestal. Fitted with N. P. Compression Combination Supply and Waste Fitting, N. P. 3/8-inch Wall Supply Pipes with China Index Stops and N. P. 11/4-inch "P" Trap without Vent.

#### DIMENSIONS

Actual

Actual

Sizes	Width		Lengt	th	of Bowl		
23 x 30"	23"		30"		12½ x 17"		
24 x 33"	24"		33"		13½ x 18"		
	PRI	CES					
Sizes				23 x 30"	24 x 33"		
Plate F 2000 C	d, as described.			\$65.75	\$75.75		
Plate F 2000,	less all Fittings			40.00	50.00		

The Traffon Lavatory can also be furnished cut for Standing Waste, Pop-up and Chain and Plug.

#### CHANTRY-Plate F 2005 G

"Standard" Vitreous China CHANTRY Lavatory with Oval Bowl; supported on Fluted Vitreous China Pedestal. Fitted with N. P. Compression Combination Supply and Waste Fitting, N. P. 3/8-inch Wall Supply Pipes with China Index Stops and N. P. 11/4-inch "P" Trap without Vent.


#### DIMENSIONS

Sizes	Actual Width		tual	Size of Bowl	
22 x 27"	22"	2	12½ x 17"		
23 x 30"	23"	3	0"	12½ x 17"	
24 x 33"	24"	3	3"	13½ x 18"	
	PR	ICES			
Sizes		22 x 27"	23 x 30"	24 x 33"	
Plate F 2005 (	G, as described.	\$57.75	\$65.75	\$75.75	
Plate F 2005,	less all Fittings	32.00	40.00	50.00	

The CHANTRY Lavatory can also be furnished cut for Standing Waste, Pop-up and Chain and Plug.

Size





#### BLACKFORD-Plate F 2010 F

"Standard" Vitreous China Blackford Lavatory with Oval Bowl; supported on Square Vitreous China Pedestal. Fitted with N. P. Fuller Combination Supply and Waste Fitting, N. P. 3/8-inch Wall Supply Pipes with China Index Stops and N. P. 11/4-inch "P" Trap without Vent.

					-		1000
DI	3.5	100	TAT	(3)	1 /	1	-
	10.73	24	1	-		1 1	0
	200		4	The same	A		Thur.

	Actual	Actu	al	Size
Sizes	Width	Leng	th	of Bowl
20 x 24"	20"	24'		12½ x 16"
22 x 26"	22"	26'		13 x 16"
22 x 28"	22"	28'	*	13 x 16"
24 x 30"	24"	30'	"	14 x 20"
24 x 33"	24"	33'		14 x 20"
	PR	ICES		
Sizes		20 x 24"	22 x 26"	22 x 28"
Plate F 2010 F	, as described .	\$52.75	\$57.75	\$62.25
Plate F 2010, 1	ess all Fittings	27.00	32.00	36.50
Cinon			. 24 x 30"	24 x 33"
Plate F 2010 F	, as described .		. \$65.75	\$75.75
Plate F 2010, 1	ess all Fittings		. 40.00	50.00
The BLACKE	ORD Lavatory ca	n also be fu		for Standing
waste, rop-up	and Chain and	rang.		

# BRAMPTON-Plate F 2015 G

"Standard" Vitreous China BRAMPTON Lavatory with Oval Bowl; supported on Square Vitreous China Pedestal. Fitted with N. P. Compression Combination Supply and Waste Fitting, N. P. 3%-inch Wall Supply Pipes with China Index Stops and N. P. 11/4-inch "P" Trap without Vent.

#### DIMENSIONS

	Actual	Actual	Size of Bowl		
Sizes	Width	Length			
22 x 27"	22"	27"	12½ x 17¼"		
23 x 30"	23"	30"	13½ x 18½"		

#### PRICES

Sizes			22 x 27"	23 x 30"
Plate	F 2015 G, as described.		\$62.25	\$65.75
Plate	F 2015, less all Fittings		36.50	40.00

The Brampton Lavatory can also be furnished cut for Standing Waste, Pop-up and Chain and Plug.





# IRIS-Plate F 2022 E

"Standard" Vitreous China IRIS Lavatory with Oval Bowl; supported on Plain Vitreous China Pedestal. Fitted with N. P. Waste Plug and Rubber Stopper, N. P. Low Down Compression China Index Handle Faucets, N. P. 3/8-inch Plain Wall Supply Pipes, and N. P. 11/4-inch "P" Trap without Vent.

#### DIMENSIONS

Diameter	Size
of Slab	of Bowl
24"	13 x 15"

#### PRICES

Size									24"
Plate F	2022 E,	as	descri	bed					\$31.25
Plate F	2022, le	SS	all Fit	tings	3 .				24.00

The Iris Lavatory can also be furnished cut for Standing Waste or Pop-up Waste.

#### IOLA—Plate F 2048 E

"Standard" Vitreous China Iola Lavatory with Oval Bowl and Back; supported on Fluted Vitreous China Pedestal. Fitted with N. P. Pop-up Waste with China Lever Handle, N. P. Low Down Compression China Index Handle Faucets, N. P. 3/8-inch Plain Wall Supply Pipes and N. P. 11/4-inch "P" Trap without Vent.

# DIMENSIONS

Diameter	Size	Height
of Slab	of Bowl	of Back
24"	13 x 15"	4"

# PRICES

Size					24"
Plate	F 2048 E, as described				\$39.50
Plate	F 2048, less all Fittings				27.50

The Iola Lavatory can also be furnished cut for Standing Waste or Chain and Plug.





# BANGOR-Plate F 2053 E

"Standard" Vitreous China Bangor Lavatory with Oval Bowl and Back; supported on Square Vitreous China Pedestal. Fitted with N. P. Pop-up Waste with China Lever Handle, N. P. Low Down Compression Faucets with Four Arm China Handles, N. P. 3%-inch Wall Supply Pipes with China Index Stops and N. P. 1¼-inch "P" Trap without Vent.

#### DIMENSIONS

Actual

Length

Actual

Width

Size

Size

of Bowl

20 x 24"	20"	24	4"		12	/2 x ]	16"	6"
		PR	ICI	ES				
Size .								20 x 24"
Plate F 205	3 E, as describ	bed .						\$51.00
Plate F 205	3, less all Fit	tings						33.00

The Bangor Lavatory can also be furnished cut for Standing Waste, Combination or Chain and Plug.

# RANDALL—Plate F 2058 E

"Standard" Vitreous China RANDALL Lavatory with Oval Bowl and Back; supported on Vitreous China Leg. Fitted with N. P. Pop-up Waste with China Lever Handle, N. P. Low Down Compression China Index Handle Faucets, N. P. 3/8-inch Plain Wall Supply Pipes and N. P. 11/4-inch "P" Trap without Vent.

#### DIMENSIONS

Size	Actual Width	Actual Length		Size of Bo	wl		Height of Back
20 x 24"	20"	24"	1	$2\frac{1}{2}x$	17"		6"
C:		PRICE					20 x 24"
Size . Plate F 20	58 E, as descri	ibed .					\$39.00
Plate F 20	58, less all Fit	ttings .					26.00
	VDALL Lavator			ished	cut	for	Standing
The RAN	mbination or NDALL Lavato r Pop-up or (	ry can be f	urnishe	ed also	o in	the	18 x 20"

Height

of Back





#### MERCHANT-Plate F 2062 E

"Standard" Vitreous China MERCHANT Lavatory with Oval Bowl, Back and Side Arms; supported on Vitreous China Leg. Fitted with N. P. Waste Plug and Rubber Stopper, N. P. Low Down Compression China Index Handle Faucets, N. P. 3/8-inch Plain Wall Supply Pipes and N. P. 11/4-inch "P" Trap without Vent.

#### DIMENSIONS

		1 1/1 1	110		1 2				
Size	Actual Width	Act				Size Bow	vl		Height of Back
21 x 24"	21"	24	1"		121	2 x 1	16"		7"
		PR	ICE	ES					
Size									21 x 24"
Plate F 2062	E, as descri	bed .							\$40.25
Plate F 2062,	less all Fit	tings							32.00
The Merco Waste, Comb	HANT Lavat				furni	shed	cut	for	Standing

# WOODMAN—Plate F 2068 E


"Standard" Vitreous China Woodman Lavatory with Oval Bowl and Back; supported on Vitreous China Leg. Fitted with N. P. Pop-up Waste with China Lever Handle, N. P. Low Down Compression China Index Handle Faucets, N. P. 3/8-inch Plain Wall Supply Pipes and N. P. 11/4-inch "P" Trap without Vent.

#### DIMENSIONS

Size	Actual Width	Act			of	Size Boy			Height of Back
21 x 24"	21"	24	"		123	½ x	16"		7"
		PRI	CE	ES					
Size .									21 x 24"
	68 E, as descri								\$40.00
Plate F 206	58, less all Fit	tings							27.00
The Wo	ODMAN Lavate	ory can	also	be	furnis	shed	cut	for	Standing

Waste, Combination or Chain and Plug.





#### CARLETON-Plate F 2077 E

"Standard" Vitreous China Carleton Lavatory with Oval Bowl and Back; supported on Vitreous China Leg. Fitted with N. P. Waste Plug and Rubber Stopper, N. P. Low Down Compression China Index Handle Faucets, N. P. 3/8-inch Plain Wall Supply Pipes and N. P. 11/4-inch "P" Trap without Vent.

#### DIMENSIONS

Diameter	Size	Height
of Slab	of Bowl	of Back
20"	12½ x 14½"	4"
24"	13 x 15"	4"

#### PRICES

Si	zes							20"	24"
Pl	ate	F 2077	E, as	descri	bed			\$24.25	\$27.75
Pl	ate	F 2077	, less a	all Fit	tings			17.00	20.50

The Carleton Lavatory can also be furnished cut for Standing Waste or Pop-up Waste.

# HARCOURT—Plate F 2082 E

"Standard" Vitreous China Harcourt Lavatory with Oval Bowl and Back; supported on Vitreous China Leg. Fitted with N. P. Waste Plug and Rubber Stopper, N. P. Low Down Compression China Cross Handle Faucets, N. P. 3/8-inch Plain Wall Supply Pipes and N. P. 11/4-inch "P" Trap without Vent.

#### DIMENSIONS

	Actual	Actual	Size	Height
Size	Width	Length	of Bowl	of Back
18 x 20"	18"	20"	11 x 15"	8"

#### PRICES

Size										18 x 20"
Plate	F 20	82 E,	as	descr	ibed					\$30.75
Plate	F 20	82, le	ess	all Fi	tting	s.				20.00

The Harcourt Lavatory can also be furnished cut for Standing Waste or Pop-up Waste.





#### HIBBEN-Plate F 2100 G

"Standard" Vitreous China HIBBEN Lavatory with Oval Bowl; supported on Vitreous China Leg. Fitted with N. P. Compression Combination Supply and Waste Fitting, N. P. 3/8-inch Plain Wall Supply Pipes and N. P. 11/4-inch "P" Trap without Vent.

#### DIMENSIONS

Size	Actual Width	Actual Length	Size of Bowl
20 x 24"	20"	24"	12½ x 15½"
	PRI	CES	
Size			20 x 24"
	as described . ss all Fittings.		\$43.25 20.00

The Hibben Lavatory can also be furnished cut for Standing Waste, Pop-up or Chain and Plug.

#### HIBBEN-Plate F 2103 E

"Standard" Vitreous China HIBBEN Lavatory with Oval Bowl; supported on Vitreous China Leg. Fitted with N. P. Pop-up Waste with China Lever Handle, N. P. Low Down Compression China Index Handle Faucets, N. P. 3/8-inch Plain Wall Supply Pipes and N. P. 11/4-inch "P" Trap without Vent.

# DIMENSIONS

Sizes	Actual Width	Actual	Size of Bowl
18 x 20"	18"	20"	10½ x 15"
20 x 24"	20"	24"	$12\frac{1}{2} \times 15\frac{1}{2}$ "

#### PRICES

Sizes							18 x 20"	20 x 24"
Plate	F 210	3 E, as	s descr	ribed			\$28.00	\$33.00
Plate	F 210	3, less	all Fi	ittings			15.00	20.00

The Hibben Lavatory can also be furnished cut for Chain and Plug.





# VINCENT-Plate F 2107 E

"Standard" Vitreous China VINCENT Lavatory with Oval Bowl; supported on Vitreous China Leg. Fitted with N. P. Waste Plug and Rubber Stopper, N. P. Low Down Compression China Index Handle Faucets, N. P. 3%-inch Plain Wall Supply Pipes and N. P. 114-inch "P" Trap without Vent.

#### DIMENSIONS

	Actual	Actual	Size
Sizes	Width	Length	of Bowl
18 x 20"	18"	20"	10½ x 15"
20 x 24"	20"	24"	123/2 x 153/2"

#### PRICES

Sizes					18 x 20"	20 x 24"
Plate	F 2107 E, a	as descr	ibed .		\$23.25	\$28.25
Plate	F 2107, les	s all Fi	ttings		15.00	20.00

The Vincent Lavatory can also be furnished cut for Standing Waste, Combination or Pop-up Waste.

# MAYCO-Plate F 2112 E

"Standard" Vitreous China Mayco Lavatory with Oval Bowl; supported on Vitreous China Leg. Fitted with N. P. Waste Plug and Rubber Stopper, N. P. Low Down Compression China Index Handle Faucets, N. P. 3%-inch Plain Wall Supply Pipes and N. P. 11/4-inch "P" Trap without Vent.


#### DIMENSIONS


	Actual	Actual	Size
Size	- Width	Length	of Bowl
21 x 24"	21"	24"	12½ x 16"

#### PRICES

Size						21 x 24"
Plate	F 2112 E, as	described				\$29.25
	F 2112, less					21.00

The Marco Lavatory can also be furnished cut for Standing Waste, Combination or Pop-up Waste.





#### TONSORIAL—Plate F 2128 H

"Standard" Vitreous China Tonsorial Lavatory with Oval Bowl; supported on Square Vitreous China Pedestal. Fitted with N. P. Pop-up Waste with China Knob, N. P. Fuller Faucets with Shampoo Combination with Compression Valves and Rubber Hose and Sprinkler, N. P. ½-inch Wall Supply Pipes with China Index Stops and N. P. 1¼-inch "P" Trap without Vent.

#### NUBIA-Plate F 2138 H

with Back, Oval Basin and Round Dental Bowl with Full Splash Rim; supported on Vitreous China Leg. Fitted with Combination Fittings consisting of N. P. China Knob Pop-up Waste, N. P. Low Down Compression China Cross Handle Faucets for Large Bowl and N. P. China Cross Handle Faucet with Goose-neck and Rim Flushing Fitting for Dental Bowl, N. P. ½-inch Wall Supply Pipes with China Index Stops and N. P. 1½-inch "P" Trap without Vent.

DIMENSIONS

Height

of Back


. 20 x 27"

. \$85.50

. 37.50

#### DIMENSIONS

~.	Actual	Actual	Size	Size of	Size of	Diameter
Size	Width	Length	of Bowl	Lavatory	Large Basin	Small Basin
22 x 27"	22"	27"	13 x 17"	20 x 27"	12 x 14"	7"
	PRI	CES			PRI	CES
Size			. 22 x 27"	Size .		
Plate F 2128	H, as described .		. \$85.00	Plate F 2138	H, as described .	
Plate F 2128,	less all Fittings.		. 36.50		B, less all Fittings.	




# GASCO-Plate F 2146 D


"Standard" Vitreous China Gasco Lavatory with Oval Bowl and Integral Back and Sides. Fitted with N. P. "Imperial" China Knob Waste, N. P. "Torrance" China Index and Handle Faucets, N. P. 3/8-inch Plain Wall Supply Pipes and N. P. 11/4-inch "P" Trap without Vent.

#### DIMENSIONS

Sizes	Ctual		Act	ual			Size Bow	1	Height of Back and Sides	
20 x 24" 20 x 28" 22 x 32"	20" 20" 22"		28	4" 8" 2"			x 15 x 17 2 x 20	"	6" 6"	
			P	RIC	CE	S				
Sizes								20 x 24"	20 x 28"	22 x 32"
Plate F 2146 D, as described Plate F 2146, less all Fittings								\$64.25 48.50	\$74.25 58.50	\$87.75 72.00

The Gasco Lavatory can also be furnished cut for Combination, Pop-up or Chain and Plug.





#### LUCERNE—Plate F 2157 E

"Standard" Vitreous China Lucerne Lavatory with Oval Bowl and Back. Fitted with N. P. Waste Plug and Rubber Stopper, N. P. Low Down Compression China Index Handle Faucets, N. P. 3/8-inch Plain Wall Supply Pipes and N. P. 11/4-inch Bag Trap.

#### DIMENSIONS

	Actual	Actual	Si	ze	Height
Sizes	Width	Length	of I	Bowl	of Back
18 x 20"	18"	20"	101/2	x 15"	6" or 8"
20 x 24"	20"	24"	$12\frac{1}{2}$	x 17"	6" or 8"
		PRICES	3		
Sizes				18 x 20"	20 x 24"
Plate F 215	7 E, as descri	bed, 6-inch Ba	ck .	\$21.75	\$30.75
Plate F 215	7, Lavatory	only, less all l	Fittings,		
6-inch Ba	ick			13.00	22.00
Plate F 215	7 E, as descri	bed, 8-inch Ba	ck .	23.25	37.75
Plate F 215	7, Lavatory	only, less all	Fittings,		
8-inch Ba	ick			14.50	29.00
The Luc	ERNE Lavator	rv can also be	furnishe	d cut for	Standing

Waste or Pop-up Waste.

# GRASSMERE—Plate F 2162 E

"Standard" Vitreous China GRASSMERE Lavatory with Oval Bowl and Back. Fitted with N. P. Waste Plug and Rubber Stopper, N. P. Low Down Compression China Index Handle Faucets, N. P. 3/8-inch Plain Wall Supply Pipes and N. P. 11/4-inch "P" Trap without Vent.

#### DIMEDMATA

	Actual	Actual		Size	Height
Sizes	Width	Length	of	Bowl	of Back
18 x 20"	18"	20"	15	x 10½"	6"
18 x 24"	18"	24"	121/2	x 17½"	6"
Sizes .				18 x 20"	18 x 24"
Sizes .				18 x 20"	18 x 24"
		cribed		\$21.25	\$30.25
Plate F 21	62, less all 1	Fittings.		14.00	23.00

The Grassmere Lavatory can also be furnished cut for Standing Waste or Pop-up Waste.





# CARMEN-Plate F 2177 E

"Standard" Vitreous China CARMEN Lavatory with Oval Bowl and Back. Fitted with N. P. Waste Plug and Rubber Stopper, N. P. Low Down Compression China Index Handle Faucets, N. P. 3/8-inch Plain Wall Supply Pipes and N. P. 11/4-inch "P" Trap without Vent.

#### DIMENSIONS

Actual

Actual

Size

Sizes	Width	Length	of B	owl	of Back
18 x 20"	18"	20"	101/2	x 15"	6" or 8"
20 x 24"	20"	24"	121/2	x 17"	6" or 8"
		PRICES	}		
Sizes .				18 x 20"	20 x 24"
Plate F 21	77 E, as descr	ibed, 6-inch Ba	ack.	\$20.25	\$29.25
Plate F 21	77, Lavatory	only, less all	Fittings	,	
6-inch B	ack			13.00	22.00
		ibed, 8-inch B	ack .	. 21.75	36.25
Plate F 21	77, Lavatory	only, less all	Fittings	,	
8-inch E				. 14.50	29.00

# BELAIR-Plate F 2182 E

"Standard" Vitreous China BELAIR Boat or Car Lavatory with Oval Bowl, Back and Full Splash Rim. Fitted with N. P. Waste Plug and Rubber Stopper, N. P. Low Down Compression China Index Handle Faucet, N. P. 3/8-inch Plain Wall Supply Pipe and N. P. 11/4-inch "P" Trap without Vent.

#### DIMENSIONS

Size	Size	Height
of Lavatory	of Bowl	of Back
16 x 16½"	$10\frac{1}{2} \times 13''$	4"

# PRICES

Size					16 x 16½"
Plate	F 2182 E, as described				\$16.00
Plate	F 2182, less all Fittings				11.00

Height

of Back





# FERMA-Plate F 2193 E

"Standard" Vitreous China FERMA Lavatory with Oval Bowl and Back. Fitted with N. P. Pop-up Waste with China Lever Handle, N. P. Low Down Compression China Index Handle Faucets, N. P. 3/8-inch Plain Wall Supply Pipes and N. P. 11/4-inch "P" Trap without Vent.

#### DIMENSIONS

	Actual	Acti	ıal			Size		Height
Size	Width	Len	gth		of	Bo	wl	of Back
21 x 24"	21"	24	"		12	1/2 X	16"	7"
		PRI	C	ES				
Size								21 x 24"
Plate F 2193	E, as descri	bed .						\$35.00
Plate F 2193	, less all Fit	tings						22.00

or Chain and Plug.


#### ELSTON-Plate F 2198 E

"Standard" Vitreous China Elston Lavatory with Oval Bowl and Back. Fitted with N. P. Pop-up Waste with China Lever Handle, N. P. Low Down Compression China Index Handle Faucets, N. P. 3/8-inch Plain Wall Supply Pipes and N. P. 11/4-inch "P" Trap without Vent.

#### DIMENSIONS

Size 18 x 20"	Actual Width 18"	Act Len 20	gth			Size Bo			Height of Back 6"
10 1 20					107	2 . 1	072		0
		PR	ICI	ES					
Size .									18 x 20"
Plate F 219	98 E, as descri	ibed .							\$26.00
Plate F 219	98, less all Fit	tings							13.00
The ELS	STON Lavatory	can also	o be	furr	nished	d cut	t for	Con	nbination

or Chain and Plug.





#### CHELSEA-Plate F 2202 E

"Standard" Vitreous China CHELSEA Lavatory with Oval Bowl and Back. Fitted with N. P. Waste Plug and Rubber Stopper, N. P. Low Down Compression China Index Handle Faucets, N. P. 3/8-inch Plain Wall Supply Pipes and N. P. 11/4-inch "P" Trap without Vent.

#### DIMENSIONS

Diameter	S	ize		Height							
of Slab	of ?	Bowl		of Back							
20"	121/	x 14	1"	4'	,						
24"	13	x 13	5"	4'	,						
	PRI	CE	S								
Sizes				20"	24"						
Plate F 2202 E, as descr	ribed .			\$20.25	\$23.75						
Plate F 2202, less all Fi	ittings.			13.00	16.50						


The Chelsea Lavatory can also be furnished cut for Pop-up Waste.

# MARCOSA—Plate F 2207 E

"Standard" Vitreous China Marcosa Lavatory with Oval Bowl and Back. Fitted with N. P. Waste Plug and Rubber Stopper, N. P. Low Down Compression China Index Handle Faucets, N. P. 3%-inch Plain Wall Supply Pipes and N. P. 11/4-inch "P" Trap without Vent.

#### DIMENSIONS

Size	Actual Width	Act			Size Boy		Height of Back					
13 x 26"	13"	26	3"		10:	x 163	1/2"		4"			
		PRI	CES	;								
Size .									13 x 26"			
Plate F 220	7 E, as descril	bed .							\$20.25			
	7. less all Fitt								13.00			





#### FENWICK-Plate F 2212 E

"Standard" Vitreous China Fenwick Corner Lavatory with Oval Bowl and Integral Back. Fitted with N. P. Waste Plug and Rubber Stopper, N. P. Low Down Compression China Index Handle Faucets, N. P. 3/8-inch Plain Wall Supply Pipes and N. P. 11/4-inch Bag Trap.

#### DIMENSIONS

Size		(	Size of Bow				Height of Back	
17 x 17"	17"		11	1½ x 1	5"			6"
	PR	IC	ES					
Size								17 x 17"
Plate F 2212	E, as described .							\$23.25
Plate F 2212	, less all Fittings							16.00
The FENV	vick Lavatory can	also	be	furnish	hed	cut	for	Standing

Waste or Pop-up Waste.

# LYNDEN—Plate F 2217 E

"Standard" Vitreous China Lynden Corner Lavatory with Oval Bowl and Integral Back. Fitted with N. P. Waste Plug and Rubber Stopper, N. P. Low Down Compression China Index Handle Faucets, N. P. 3/8-inch Plain Wall Supply Pipes and N. P. 11/4-inch "P" Trap without Vent.

# DIMENSIONS

Length on Sides		of		Height of Back					
19"		11	1/2 x	15"			6"		
PR	IC	ES							
less all Fittings							27.00		
	on Sides 19" PR E, as described.	on Sides 19"  PRICE  E, as described	on Sides of 19" 11.  PRICES  E, as described	on Sides of Bo 19" 11½ x  PRICES  E, as described	on Sides of Bowl 19" 11½ x 15"  PRICES  E, as described	on Sides of Bowl 19" 11½ x 15"  PRICES  E, as described	on Sides of Bowl 19" 11½ x 15"		

The Lynden Lavatory can also be furnished cut for Standing Waste or Pop-up Waste.

If wanted with Single Leg, add \$4.00.





# PRISON LAVATORY—Plate F 2222


"Standard" Vitreous China Prison Lavatory with Bowl and Integral Back. Fitted with N. P. Push Button Valve with Regulator, Waste Plug with Revolving Disc and Spout which can be furnished either turned up for Drinking Fountain or turned down for Lavatory Supply.


# PRISON LAVATORY—Plate F 2227

"Standard" Vitreous China Prison Lavatory with Bowl and Integral Back. Fitted with N. P. Waste Plug and Rubber Stopper with 11/4-inch Spud Outlet and N. P. Push Button Valve.

PRICE

PRICE





# NEWINN-Plate F 2240

"Standard" Vitreous China NEWINN Dental Lavatory with Back, Full Splash Rim and Integral Vitreous China Spout. Fitted with N. P. Compression Cross Handle Faucet, N. P. Plain Wall Supply Pipe and N. P. Trap without Vent.

# DIMENSIONS

Diameter

of Bowl

Size

Height

of Back


10 x 12"		3"	2"	
	PRI	CE		
Size				. 10 x 12"
Plate F 2240, as descri	bed .			. \$21.00

#### NEWINN—Plate F 2245

"Standard" Vitreous China Newinn Dental Lavatory with Back and Full Splash Rim. Fitted with N. P. Low Down Compression China Index Handle Basin Faucet, N. P. Plain Wall Supply Pipe and N. P. Trap without Vent.

#### DIMENSIONS

Size	Diam of B		Height of Back									
10 x 12"	6"			2"								
	PRI	CE										
Size					. 10 x 12"							
Plate F 2245, as described					. \$16.50							





#### Plate F 2250 F

"Standard" Vitreous China Lavatory with Oval Bowl and Integral Back; supported on Vitreous China Legs. Fitted with N. P. Fuller Combination Supply and Waste Fitting, N. P. ½-inch Floor Supply Pipes and N. P. 1½-inch Flask Trap to Floor and Vent to Wall.

#### DIMENSIONS

Size	Act				Size Boy	vl	Height of Back	
24 x 30"	24"	30	)"		133	2 x	18"	10"
		PRI	CE	S				
Size .								24 x 30"
Plate F 225	50 F, as describ	bed .						\$108.50
Plate F 225	50, less all Fit	tings.						76.00

The above Lavatory can also be furnished cut for Standing Waste,

Pop-up, or Chain and Plug.

# Plate F 2255 J

"Standard" Vitreous China Clinic Lavatory with Oval Bowl and Depressed Instrument Tray on each side; supported on Vitreous China Legs and Wall Braces. Fitted with N. P. Goose-neck Pattern Faucet with Removable Rose Spray, and Knee-action Levers to control Hot and Cold Water Supply, N. P. Waste Outlet controlled by Knee Lever and N. P. 1½-inch Non-syphoning Brass Trap to Floor.

D	T	M	E	N	S	T	0	N	S
1	*	TAT	-	* 4	~	-	0	+ ,	~

		DIMENS	101	NS				Size			
Size	Actual Width	Actual Length		Siz of E			Instrument				
24 x 36"	24"	36"		13 x	17"		61/	2 x 14½"			
		PRIC	ES								
Size .								24 x 36"			
	55 J, as descr 55, less all F							\$177.00 74.50			
	ove Fixture ons (U. S. 36		nform	ı wi	th (	Gove	rnm	ent 1910			





Plate F 2262 E

"Standard" Vitreous China Lavatories with Oval Bowls and Integral Backs, in Battery of Four Lavatories. Fitted with N. P. Waste Plugs and Rubber Stoppers, N. P. Low Down Compression China Index Handle Faucets and N. P. Continuous Waste with "S" Trap without Vent.

#### DIMENSIONS

Size, 18 x 20 inches	Dia	amet	er of	Bow	1, 10	0½ x	15 i	inche	es		Hei	ght o	of B	ack,	6 in	ches		
				RI														
Size																		
Plate F 2262 E, as described									•									\$85.00
Plate F 2262, less all Fittings																		52.00
Plate F 2262 E, each additional Lavatory complete	е.																	21.00
Plate F 2262, each additional Lavatory, less all Fi	ttings	3 .								4.								13.00



#### Plate F 2272 G

"Standard" Vitreous China Lavatories with Oval Bowls, Depressed Soap Dishes; supported on Vitreous China Legs in Battery of Three Lavatories. Fitted with N. P. Waste Plugs and Rubber Stoppers, N. P. Self-closing Basin Faucets, N. P. Floor Supplies with Air Chambers and N. P. Continuous Waste with Trap to Floor.


# DIMENSIONS

Sizes  $\begin{cases} 20 \times 22 \text{ inches} \\ 20 \times 24 \text{ inches} \end{cases}$ 

Diameter of Bowl  $\begin{cases} 12\frac{1}{2} \times 17 \text{ inches} \\ 12\frac{3}{4} \times 17\frac{3}{4} \text{ inches} \end{cases}$ 

#### PRICES

Sizes					20 x 22"	20 x 24"
Plate F 2272 G, as described						\$145.00
Plate F 2272, less all Fittings						76.50
Plate F 2272 G, each additional Lavatory with Leg and Fittings complete						48.50
Plate F 2272, each additional Lavatory with Leg, less all Fittings						25.50
If wanted with 6-inch Back, add for each Lavatory					6.00	6.00



# Plate F 2287 F

Lavatories with Heavy Roll Rim and Integral Soap Dishes in Double Battery of Four Bowls on each side, supported on Galvanized Cast-iron Frame; fitted with N. P. Brass 1½-inch Waste Plugs, Overflow Strainers with Chain attached, Two N. P. Brass 1½-inch Continuous Wastes with 2-inch Anti-syphoning Traps, and Galvanized Iron Pipe for Hot and Cold Water with one Hot and one Cold N. P. Fuller Bibb for each Lavatory.

#### DIMENSIONS

Size, 18 x 20 inches


Depth Inside, 6½ inches

#### PRICES

DI 4 T 9997 E as described										\$281.50
Plate F 2287 F, as described			20							70.50
For each additional pair of Lavatories complete, add						•				.0.00

# Plate F 2297 F

tories with Heavy Roll Rim and Integral Soap Dishes in Battery of Four Lavatories, supported on Galvanized Cast-iron Concealed Frame with Adjustable Legs with Ball Feet; fitted with N. P. Brass 1½-inch Waste Plugs, Overflow Strainers with Chain attached, N. P. 1½-inch Continuous Waste with N. P. 2-inch "S" Trap with Vent, and Galvanized Iron Pipe for Hot and Cold Water with one Hot and one Cold N. P. Fuller Bibb for each Lavatory.




# DIMENSIONS

Size, 18 x 20 inches

Depth Inside, 6½ inches

#### PRICES

Plate F 2297 F, as described												\$148.75
1 1000 1 2201 - ,												27 05
For each additional Lavatory	complete,	add										37.25



#### MILADY—Plate F 2310

"Standard" Vitreous China MILADY Manicuring Table with Center Bowl; supported on Vitreous China Leg and N. P. Wall Supports. Fitted with N. P. Pop-up Waste with China Lever Handle, Concealed Supply to Bowl with Four-arm China Handle Controlling Valves on Supply Pipes to Wall and N. P. "P" Trap without Vent.

#### DIMENSIONS

	Siz of Sla				Diam of Ba			]	Heigh	nt to	)		
	18 x	32"			6"					31"			
				PI	RIC	ES							
Plate F 2310, as described. Plate F 2310, less all Fittings													\$54.00 34.00






"Standard" Vitreous China Pedestal Drinking Fountain; fitted with Vitreous China Continuous Flow Bubbler, Brass Supply Pipe with Loose Key Valve and Galvanized Waste Pipe with Brass Trap.

# 

#### Plate F 2327

"Standard" Vitreous China Pedestal Drinking Fountain; fitted with Vitreous China Continuous Flow Bubbler controlled by Foot-operated Self-closing Valve in Floor Plate, Concealed Supply Pipe and Galvanized Waste Pipe to Floor.

			]	PRI	CI	E			
	Height								30"
50	Plate F 2327, as								\$47.50





"Standard" Vitreous China Wall Drinking Fountain; fitted with Vitreous China Continuous Flow Bubbler controlled by N. P. Self-closing Valve, Concealed Supply Pipe and Concealed Trap.

#### DIMENSIONS

Height of Back Over All Diameter of Basin Over All 12"

PRICE

#### Plate F 2350

"Standard" Vitreous China Wall Drinking Fountain; fitted with Vitreous China Continuous Flow Bubbler, N. P. Brass Supply Pipe with Loose Key Valve and N. P. Brass Trap to Wall.

#### DIMENSIONS

Height of Back Over All 93/4"

Diameter of Basin Over All 13"

PRICE





"Standard" Vitreous China Drinking Fountain; supported by N. P. Brass Wall Brackets; fitted with Vitreous China Continuous Flow Bubbler controlled by N. P. China Lever Handle Self-closing Valve, N. P. Brass Supply Pipe and N. P. "P" Trap without Vent.

#### DIMENSIONS

	A. A. 201 A. 201 A. 12	X 10 21 10	
Outside Diam.	Inside Diam.	Depth	Wall to
of Bowl	of Bowl	of Bowl	Front of Bowl
93/2"	73-5"	21/2"	103/2"

#### PRICE


# Plate F 2375


"Standard" Vitreous China Wall Drinking Fountain with Integral Vitreous China Trap; fitted with Vitreous China Continuous Flow Bubbler controlled by N. P. Four-arm China Handle Selfclosing Valve and N. P. Four-arm China Handle Self-closing Valve for Drinking Glass Supply, and Brass Supply Pipe.

#### DIMENSIONS

Height of Back	Width	Outside Diam.	Inside Diam
Over All	Over All	of Bowl	of Bowl
25"	113/4"	131/2"	103/4"

#### PRICE





"Standard" Vitreous China Wall Drinking Fountain; fitted with N. P. Four-arm China Handle Self-closing Supply Valve, N. P. Brass Strainer and N. P. Brass Waste Ell to Wall.

# DIMENSIONS

Height of Back Wall to Width Over All Over All Outside Edge 15"

PRICE


# Plate F 2395


"Standard" Vitreous China Wall Drinking Fountain; fitted with N. P. Push Button Valve with Vitreous China Bubbling Cup and N. P. Waste Ell to Wall.

#### DIMENSIONS

Height Over All Width Over All

PRICE





# Plate F 2750 J

"Standard" Vitreous China Roll Rim Sink supported on Vitreous China Legs and Wall Supports. Fitted with N. P. Goose-neck Pattern Compression Faucets with China Indexed Handles and Removable Rose Sprays, N. P. 34-inch Wall Supply Pipes with Compression Wheel Handle Stops, N. P. Brass Strainer and N. P. 1½-inch Non-syphoning Trap to Floor.

#### DIMENSIONS

Actual Width

24"

Size

24 x 30"

Specifications (U. S. 30).

Actual Length

30"

PRICES	
Size	24 x 30"
Plate F 2750 J, as described	
Plate F 2750, less all Fittings, except Wall Supports	

The above Fixture made to conform with Government 1910

#### Plate F 2751 D

"Standard" Vitreous China Roll Rim Sink with Integral Back, supported on Vitreous China Legs and Wall Supports. Fitted with N. P. ¾-inch Fuller Bibbs, N. P. Brass Strainer and N. P. 1½-inch Non-syphoning Trap to Floor.

#### DIMENSIONS

Sizes	Depth	Heigh	t of Back
20 x 24"	7"		7"
24 x 30"	7"		10"
	PRICES		
Sizes		. 20 x 24"	24 x 30"
Plate F 2751 D, as descr			\$101.00
Plate F 2751, less all F	ittings, except W	all	
Supports		. 46.00	80.00

Depth





"Standard" Vitreous China Syphon Jet, Integral Flushing Rim Slop Sink and Vitreous China High Tank. Fitted with N. P. Combination Compression Faucet with China Indexes and Bucket Hook with Wall Brace, N. P. ¾-inch Wall Supply Pipes with Wheel Handle Stops. Tank fitted with High Pressure Top Supply Ball Cock, Chain and Pull with N. P. Guide and N. P. 1½-inch Flush Pipe.

#### DIMENSIONS

Size		Dep	th to	Str	ainei	Pla	te	
20 x 20"				10	"			
	PF	RIC	E					
Size								20 x 20"
Plate F 2921, as described								\$158.00

#### Plate F 2922

"Standard" Vitreous China Roll Rim Slop Sink and Porcelain Enameled Inside, Adjustable Trap with Cleanout. Fitted with N. P. Combination Compression Faucet with China Indexes, Wall Brace and Bucket Hook and N. P. Brass Strainer.

#### DIMENSIONS

Size 18 x 22"	A	ppro	xima	te D 12"	epth	Insi	de	
	PRI	CE	S					
Size								18 x 2
Plate F 2922, as described								\$45.
Plate F 2922, less all Fitt	ings.							32.



Plate F 3170




Plate F 3170-Side View




Plate F 3171

"Standard" ALTA VITRITE Syphon Jet Urinal with No. 10 Exposed N. P. Metric Junior Push Button Valve with Concealed Lock Shield Controlling Valve, N. P. Inlet and Brass Outlet Connections with N. P. Wall Bolts.

#### PRICE

### Plate F 3170

"Standard" ALTA VITRITE Syphon Jet Urinal with No. 12 Concealed Metric Junior Push Button Valve with Controlling Stop and Push Button through Wall, Brass Inlet and Outlet Connections with N. P. Wall Bolts.

## PRICE





"Standard" ALTA VITRITE
Syphon Jet Urinal with VITRITE Automatic Urinal Tank,
3%-inch N. P. Supply Pipe to Wall
with Angle Compression Wheel
Handle Stop, N. P. Flush Pipe
and Inlet and Brass Outlet Connections with N. P. Wall Bolts.

Plate F 3175

"Standard" ALTA VITRITE Syphon Jet Urinals in Battery of three with VITRITE Automatic Urinal Tank, 3/8-inch N. P. Supply Pipe to Wall with Angle Compression Wheel Handle Stop, N. P. Flush Pipes and Inlet and Brass Outlet Connections with N. P. Wall Bolts.

# PRICES

Plate F 3173, Single												\$34.25
Plate F 3174, Battery of Two								•				61.00
Plate F 3175, Battery of Three												87.75



Plate F 3260

"Standard" VITRITE Low Down Straight Front Closet Tank with Top Lever.

Sizes							No. 1	No. 2
	F 3260,	with	Fitti	ngs			\$18.00	\$16.00
Plate	F 3260,	less	Fittin	gs			11.00	10.50




Plate F 3261

"Standard" VITRITE Low Down Curved Top Straight Front Closet Tank with Top Lever.

Sizes			No. 1	No. 2
Plate F 3261, with Fittings			\$18.00	\$16 00
Plate F 3261, less Fittings			11.00	10.50



Plate F 3262

"Standard" VITRITE Curved Front and Curved Top Low Down Closet Tank with Top Lever.

Plate F 3262, with Fittings				\$18.00
Plate F 3262, less Fittings				11.00




Plate F 3263

"Standard" VITRITE Curved Front and Curved Top Low Down Closet Tank with Bottom Compound Lever.

Plate F 3263, with Fittings				\$20.00
Plate F 3263, less Fittings				12.00



PATENTED MARCH 16, 1915



PATENTED MARCH 16, 1915

"Standard" VITRITE Closet Combination with DEVORO Syphon Jet Bowl with Square Base; VITRITE Straight Front Low Down Tank with Top China Lever Handle, 3/8-inch Nickel-plated I. P. S. Wall Supply with China Index Compression Angle Stop, VITRITE Flush Connection, Ivorite Square Back Saddle Seat and Cover and Cast Brass Floor Flange with Bolts and Porcelain Bolt Caps.

### PRICE

### Plate F 3353

"Standard" VITRITE Closet Combination with DEVORO Syphon Jet Bowl with Extended Lip, and Square Base; VITRITE Straight Front Low Down Tank with Top China Lever Handle, 3/8-inch Nickel-plated I. P. S. Wall Supply with China Index Compression Angle Stop, VITRITE Flush Connection, Ivorite Square Back, open Front Seat and Cover with Nickel-plated Cast Brass Reinforcement, and Cast Brass Floor Flange with Bolts and Porcelain Bolt Caps.

### PRICE



PATENTED APR. 14, 1914
PATENTED MARCH 16, 1915



PATENTED MARCH 23, 1915

"Standard" VITRITE Closet Combination with DEVORO Syphon Jet Bowl with Extended Lip, Integro Vent with VITRITE Wall Flange, and Square Base, VITRITE Straight Front Low Down Tank with Top China Lever Handle, 3/8-inch Nickel-plated I. P. S. Wall Supply with China Index Compression Angle Stop, VITRITE Flush Connection, Ivorite Square Back, open Front Seat and Cover with Nickel-plated Cast Brass Reinforcement, and Cast Brass Floor Flange with Bolts and Porcelain Bolt Caps.

### PRICE

### Plate F 3355

"Standard" VITRITE Closet Combination with EXPULSO Bowl with Square Base; VITRITE Wave Front Low Down Tank with Top China Lever Handle, 3%-inch Nickel-plated I. P. S. Wall Supply with China Index Compression Angle Stop, VITRITE Flush Connection, Ivorite Square Back Saddle Seat and Cover, and Cast Brass Floor Flange with Bolts and Porcelain Bolt Caps.

#### PRICE



PATENTED MARCH 23, 1915



PATENTED MARCH 16, 1915

"Standard" VITRITE Closet Combination with Giector Syphonic Action Bowl with Square Base; VITRITE Straight Front Low Down Tank with Top China Lever Handle, 3/8-inch Nickel-plated I. P. S. Wall Supply with Wheel Handle Compression Angle Stop, Nickel-plated Flush Connection, Birch Mahogany Finished Seat and Cover and Floor Flange with Bolts and Porcelain Bolt Caps.

### Plate F 3357

"Standard" VITRITE Closet Combination with PEDESTO Syphon Jet Bowl with Square Base; VITRITE Panel Front Flat Top Low Down Tank with Top China Lever Handle, 3/8-inch Nickel-plated I. P. S. Wall Supply with China Index Compression Angle Stop, VITRITE Flush Connection, Ivorite Square Back, open Front Seat and Cover with Nickel-plated Cast Brass Reinforcement, and Cast Brass Floor Flange with Bolts and Porcelain Bolt Caps.

### PRICE

### PRICE



PATENTED APR. 15, 1913 PATENTED NOV. 3, 1914 PATENTED MAR. 16, 1915



PATENTED APR. 15, 1913 PATENTED NOV. 3, 1914 PATENTED MAR. 16, 1915


"Standard" VITRITE Closet Combination with PURIMO Syphon Jet Bowl with Extended Front and Back Non-soiling Rim and Square Base; VITRITE Straight Front Low Down Tank with Top China Lever Handle, 3/8-inch Nickel-plated I. P. S. Wall Supply with China Index Compression Angle Stop, VITRITE Flush Connection, Ivorite Seat open at Front and Back with Cover, and Nickel-plated Cast Brass Reinforcement Front and Back, and Cast Brass Floor Flange with Bolts and Porcelain Bolt Caps.

#### PRICE

## Plate F 3359

"Standard" VITRITE Closet Combination with PURIMO Syphon Jet Bowl with Extended Front and Back Non-soiling Rim and Square Base; VITRITE Straight Front Low Down Tank with Bottom Compound China Lever Handle, 3/8-inch Nickel-plated I. P. S. Wall Supply with China Index Compression Angle Stop, VITRITE Flush Connection, Ivorite Seat, open at Front and Back, with Cover and Nickel-plated Cast Brass Reinforcement Front and Back, and Cast Brass Floor Flange with Bolts and Porcelain Bolt Caps.

### PRICE









[BLANK PAGE]



